








TABLE OF CONTENTS

	EXECUTIVE SUMMARY	25
	OVERVIEW AND RECOMMENDATIONS	31
	1 THE MEANING OF LIGHT	61
	So what is the meaning of light?	64
	2 IN THE EYE OF THE BEHOLDER: HUMAN FACTORS IN LIGHTING	67
	To see or not to see	68
	Human response to light	68
	What is light and how do we see?	69
	Lighting quality: a primary driver of lighting energy needs	74
	Lighting guidelines and design criteria	84
	Recommended illuminance levels and implications for lighting energy demand	85
	Uniformity, surface reflectance, colour rendering and glare thresholds	94
	Discussion	97
	3 THESE LOVELY LAMPS: LIGHTING TECHNOLOGIES AND DESIGN	99
	These windows of the soul	100
	General performance characteristics of lighting technologies	101
	Efficacy, lumen maintenance and temperature	101
	Rated lamp life and useful lamp life	104
	Lamp colour characteristics	105
	Lamp types	107
	Incandescent lamps	110
	Tungsten halogen lamps	112
	Linear fluorescent lamps	115
	Compact fluorescent lamps	119

Cold-cathode fluorescent lamps	123
Low-pressure sodium lamps	124
High-intensity discharge lamps	125
Induction lamps	130
Vehicle lamps	132
Summary of lamp characteristics	134
Control gear	137
Ballasts	137
Lighting-control systems	141
Fixtures and luminaires	148
Daylighting	158
Energy savings from daylighting	162
Daylighting components and design solutions	164
4 LAZY LUMENS: THE ENERGY USED BY LIGHTING	167
Why the lumens are lazy	168
Efforts to estimate global lighting energy consumption	168
A note on the current methodology	169
Lighting markets: light, energy, economic and environmental characteristics	172
Global light consumption, energy use, costs and CO ₂ emissions	173
Residential lighting	183
Commercial sector	209
Industrial sector	234
Outdoor lighting	237
Vehicle lighting	241
The business of light: global illumination	250
The lamp industry	251
The lighting market	257
The potential for energy savings	266
What technology opportunities are available?	269
Lighting energy savings in non-residential case studies	275
Previous savings estimates	277

	Barriers to energy-efficient lighting	285
	Common barriers	286
	Matching policy interventions to barriers	290
5	BLAZING THE TRAIL: POLICIES AND PROGRAMMES FOR ENERGY-EFFICIENT LIGHTING	297
	Measure for measure: an introduction	297
	Government policies and programmes: common types	298
	Policies to improve lighting-component efficiency	309
	Australia and New Zealand	312
	OECD Europe	317
	Japan	323
	Korea	326
	North America	330
	China	342
	Other non-OECD countries	344
	Energy performance building codes and certification policies	345
	United States	345
	Europe	354
	Other OECD and non-OECD countries	362
	Review of other energy-efficiency programmes influencing lighting	365
	Market-transformation programmes	365
	Utility programmes	373
	Other instruments	377
	International initiatives	383
	Policies to encourage better use of daylight	387
	Daylight-saving time	387
6	LIGHT'S LABOUR'S FOUND: THE IMPACT OF CURRENT AND FUTURE POLICIES	389
	Beacons of hope	389
	Impact of current policies	390
	Estimating consequences of current policies	390

Assumptions and data for the Current Policies and No Policies scenarios	393
Projected energy trends and impacts of current policies	398
Costs and benefits of current policies	407
Impact of future policies: aiming for LLCC efficiency levels from 2008	409
Assumptions for the LLCC from 2008 scenario	410
Projected energy trends and impacts of the LLCC from 2008 scenario	415
Costs and benefits of the LLCC from 2008 scenario	418
Projected trends in vehicle lighting	422
Vehicle-lighting fuel-use scenarios	423
Conclusions	427
7 O’LED WHERE ART THOU? EMERGING SOLID-STATE LIGHTING TECHNOLOGIES AND OPPORTUNITIES	433
The state of the art	434
Physical principles and performance characteristics	434
SSL applications	448
The LED market	460
The “Great White Hope”	461
Energy savings, technology targets and investment	461
Quantum dots: a leap in the light?	465
LEDs for fuel lighting: a fast track to clean development?	466
Why it might not happen: the barriers to be overcome	471
OLED where art thou?	473
Lifting the LED wait: policies and programmes to accelerate SSL	474
International R&D programmes for SSL	475
Into the light: some recommendations	477
8 THE AGE OF ENLIGHTENMENT: FUTURE STRATEGIES FOR ENERGY-EFFICIENT LIGHTING	479
At the end of the tunnel	480
Policy objectives	481

Procedural objectives	482
Situational objectives	482
Technology objectives	484
Development objectives	487
Summary of policy objectives	488
Lessons learned from current and past efforts	488
Programmes for the future	504
Government programmes	505
Government–industry partnerships	513
Utility and energy-service programmes	514
International co-operation	515
Explicit policy recommendations	517
GLOSSARY	521
ABBREVIATIONS AND ACRONYMS	531
REFERENCES	539
TABLES	
■ Table 1.1 Price (constant year-2000 GBP) of 1 Mlmh of light in the United Kingdom from 1300 to 2000	62
■ Table 2.1 International recommended illuminance levels circa 1999	86
■ Table 2.2 Comparison of 2002 revision of CIBSE guidelines for lighting levels with 1994 levels	89
■ Table 2.3 JIES recommended office illuminance levels	91
■ Table 2.4 Illuminance levels recommended by IESNA, according to type of space	92
■ Table 2.5 Illuminance levels recommended by IESNA for office tasks	93
■ Table 2.6 Recommended illuminance levels in Australia ...	93
■ Table 2.7 Hypothetical example of the impact of the choice of uniformity factor on total illuminance requirements	95

■ Table 3.1	Comparison of standard T5 and T8 lamps under optimum operating temperatures	117
■ Table 3.2	Comparison of incandescent and CFL performance	122
■ Table 3.3	Summary of lamp characteristics	135
■ Table 3.4	Impact of zoning and manual switches on lighting operating hours in open-plan offices	142
■ Table 3.5	Description of 17 demonstration projects employing lighting-control retrofits	147
■ Table 3.6	Energy savings impacts of 17 demonstration projects employing lighting-control retrofits	148
■ Table 3.7	LORs for troffers, according to the choice of reflector material	154
■ Table 3.8	Energy savings and illuminance maintenance for daylight-responsive control systems	162
■ Table 4.1	Residential lighting electricity consumption by lamp type in the United States in 2001	188
■ Table 4.2	Estimated national average residential lighting characteristics for a sample of IEA member countries	189
■ Table 4.3	Use of CFLs in IEA countries	203
■ Table 4.4	Use of lighting-conservation control measures in Canadian buildings in 2000	214
■ Table 4.5	Lighting characteristics of commercial buildings in California in 1995	219
■ Table 4.6	Estimated average lighting characteristics of commercial buildings in the OECD in 2000	222
■ Table 4.7	Total efficiency of combinations of lamp and luminaire for outdoor street lighting	239
■ Table 4.8	Exterior-lighting characteristics for light-duty vehicles	244
■ Table 4.9	Exterior-lighting characteristics for trucks	245
■ Table 4.10	The top nine Chinese lighting-product manufacturing enterprises in 2003	254

- Table 4.11 Estimated global lamp sales in 2003 259
- Table 4.12 Estimated lighting energy consumption in Japan
were no energy-savings policy measures to be
implemented 280
- Table 4.13 Energy and CO₂ savings from current and
potential policy measures for energy-efficient
lighting 281
- Table 4.14 Projected commercial-sector lighting energy
consumption in the UK and forecast savings
from existing policies 284
- Table 4.15 Barriers and suitable policy interventions for
efficient lighting
(Greenlight Australia programme) 294
- Table 5.1 Use of labels, standards and targets for lighting
and related equipment 310
- Table 5.2 Minimum efficacy requirements for LFLs
in Australia 314
- Table 5.3 Initially proposed lighting efficiency policy
measures, Greenlight Australia programme 315
- Table 5.4 Minimum efficacy requirements for LFLs in
New Zealand 316
- Table 5.5 Japan's Top Runner requirements for
fluorescent lamps 324
- Table 5.6 Korea's MEPS and target requirements for
incandescent lamps 327
- Table 5.7 Korea's MEPS and target requirements for fluorescent
lamps 328
- Table 5.8 Korea's MEPS and target requirements for
CFLs 328
- Table 5.9 US and Canadian MEPS for fluorescent lamps . . . 332
- Table 5.10 US and Canadian MEPS for incandescent
reflector lamps 332
- Table 5.11 US and Canadian MEPS for replacement
fluorescent lamp ballasts 333

■ Table 5.12	US and Canadian MEPS for non-replacement fluorescent lamp ballasts	333
■ Table 5.13	Estimated savings from US lighting-related MEPS .	335
■ Table 5.14	Estimates of US national savings from implementing additional lighting MEPS	338
■ Table 5.15	Mexican MEPS for CFLs	339
■ Table 5.16	Californian MEPS for GLS incandescent lamps .	341
■ Table 5.17	Chinese MEPS for double-capped fluorescent lamps	343
■ Table 5.18	Chinese MEPS for self-ballasted CFLs	343
■ Table 5.19	Sample of building-area LPD requirements under ASHRAE 90.1-2004	349
■ Table 5.20	Energy flows covered in European building-code calculation procedures pre-2003	355
■ Table 5.21	Draft European standards for lighting energy performance in buildings developed under the auspices of CEN	356
■ Table 5.22	Maximum LPD thresholds permitted in Chinese standard GB 50034-2004 for office buildings . .	364
■ Table 5.23	Summary of international CFL MEPS and labelling schemes	386
■ Table 6.1	Energy-cost savings, equipment purchase-cost changes and carbon emission reductions under the Current Policies scenario compared with the No Policies scenario	408
■ Table 6.2	Energy-cost savings, equipment purchase-cost-changes and carbon emission reductions under the LLCC from 2008 scenario compared with the Current Policies scenario	421
■ Table 7.1	Technology-roadmap price and performance improvements for LEDs	462
■ Table 7.2	Technology-roadmap price and performance improvements for OLEDs	462
■ Table 7.3	Description of the SSL market scenarios and maximum S-curve values	465

FIGURES AND PLATES

- Figure ES.1 Global lighting electricity consumption in 1995–2030 under the No Policies, Current Policies and LLCC from 2008 scenarios 27
- Figure OR.1 Estimated per-capita consumption of electric light in 2005 34
- Figure OR.2 Global lighting electricity consumption by end-use sector in 1995–2030 under the Current Policies scenario 35
- Figure OR.3 Estimated global average share of electric-light production by lamp type and end-use sector in 2005 40
- Figure OR.4 Average lighting-system efficacy by region in 2005 44
- Figure OR.5 Global lighting electricity consumption in 1995–2030 under the No Policies, Current Policies and LLCC from 2008 scenarios 51
- Figure OR.6 Global lighting-cost savings under the LLCC from 2008 and No Policies scenarios compared to the Current Policies scenario 52
- Figure I.1 Consumption of lighting by candles, gas, paraffin and electricity in the United Kingdom between 1700 and 2000 64
- Figure 2.1 The relative spectral sensitivity of the human eye (the CIE standard photopic observer) 72
- Figure 2.2 A simple demonstration of the importance of contrast for visual acuity 76
- Figure 2.3 Relative visual performance as a function of luminance and contrast 77
- Figure 2.4 Measured desktop illuminance and user opinion of the illuminance level 80
- Figure 2.5 Desktop illuminance levels chosen by participants in a mock-up office 81

■ Figure 3.1	Examples of lumen depreciation for T8 fluorescent and pulse-start metal halide lamps	103
■ Figure 3.2	Temperature characteristics of fluorescent lamps	104
■ Plate 3.3	CIE chromaticity diagram	429
■ Figure 3.4	Types of electric lamp	110
■ Figure 3.5	Features of the common incandescent GLS lamp	111
■ Figure 3.6	Efficacy of incandescent lamps as a function of input power	112
■ Figure 3.7	Common types of halogen lamp	114
■ Figure 3.8	Features of LFLs	116
■ Figure 3.9	Ballast-integrated CFL models	120
■ Figure 3.10	Features of low-pressure sodium lamps	124
■ Figure 3.11	Features of HID lamps	126
■ Figure 3.12	Examples of ceramic metal halide lamps	131
■ Figure 3.13	Examples of induction lamps	131
■ Figure 3.14	Configurations for headlamp optics	133
■ Figure 3.15	System efficacy for a number of light sources used for general lighting	137
■ Figure 3.16	Historic evolution of luminous efficacy for major light sources used in general lighting	138
■ Figure 3.17	Examples of electronic ballasts for HID and fluorescent lamps	139
■ Figure 3.18	Lighting energy savings and payback period for 13 demonstration projects employing lighting-control retrofits	146
■ Figure 3.19	Expected loss of light resulting from dirt build-up in enclosed troffer luminaire	155
■ Figure 3.20	Antiglare shielding for direct luminaires	156
■ Figure 3.21	Suspended direct–indirect luminaires	157

■ Figure 3.22	Strategies for increasing low-glare daylight penetration	161
■ Figure 4.1	Estimated per-capita consumption of electric light in 2005	173
■ Figure 4.2	Estimated regional share of electric-light consumption in 2005	174
■ Figure 4.3	Estimated global average share of electric-light production by lamp type in 2005	175
■ Figure 4.4	Estimated global average share of electric-light production by lamp type and end-user sector in 2005	177
■ Figure 4.5	Estimated regional share of stationary-lighting electricity consumption in 2005	178
■ Figure 4.6	Average lighting-system efficacy by region in 2005	181
■ Figure 4.7	Average proportion of household-lighting energy consumption by room in four EU countries . .	186
■ Figure 4.8	Average number of light sources per household in samples from four EU countries .	191
■ Figure 4.9	Annual-average hourly load curves in metered households in four EU countries	193
■ Figure 4.10	Seasonal variation in residential lighting demand: example of a New Zealand household	195
■ Figure 4.11	Average annual household-lighting electricity consumption versus income in China	198
■ Figure 4.12	Average annual residential electric-light consumption versus GDP	199
■ Figure 4.13	Number of people with <i>no</i> access to electricity in 2002 and projected number in 2030 if no new measures are implemented	200
■ Figure 4.14	Estimated global lighting energy consumption by commercial-building type in 2005	210
■ Figure 4.15	Estimated global lighting energy intensity by commercial-building type in 2005	211

- Figure 4.16 Estimated regional share of light output by source in the commercial-building sector in 2005 ... 212
- Figure 4.17 Estimated light output by source in OECD commercial buildings in 2005 217
- Figure 4.18 Estimated power of installed lighting systems in North American educational buildings by type of space 218
- Figure 4.19 Normalised lighting power density distribution for a sample of Californian offices 221
- Figure 4.20 Estimated average commercial-building lighting energy intensities by OECD region in 2005 .. 227
- Figure 4.21 Installed lighting power density by lamp type for a sample of Danish schools 230
- Figure 4.22 Global trade in electric lamps in 2003 256
- Figure 4.23 Residential lamp sales by lamp type in the United States and California in 2000 260
- Figure 4.24 Estimated global CFL sales by region in 1990–2004 261
- Figure 4.25 Estimated global CFL stock 262
- Figure 4.26 HID lamp sales in 1990–2002/3 in the United States and China 265
- Figure 4.27 Estimated annual per-capita lamp sales by country or region 266
- Figure 4.28 Estimated share of lamp sales by volume, by country or region 267
- Figure 4.29 Estimated share of light sales by lamp type, by country or region 268
- Figure 4.30 Estimated equipment and labour costs vs. annual operating hours for providing 1 Mlmh of light, by light source 270
- Figure 4.31 Estimated total costs versus average annual operating hours for providing 1 Mlmh of light, by light source 271
- Figure 4.32 Estimated total costs by light source operated for 2 500 hours/year to provide 1 Mlmh of light 272

■ Figure 4.33	Annual lighting electricity consumption in a sample of French households before and after replacing incandescent lamps with CFLs	273
■ Figure 4.34	Savings and simple payback times vs. the number of incandescent lamps replaced with CFLs in a sample of Italian households . .	274
■ Figure 4.35	Japanese lighting energy consumption scenarios for 1995–2010	282
■ Figure 4.36	Relationships between actors influencing the efficiency of installed lighting	290
■ Figure 5.1	Evolution of the number of countries with equipment standards and labelling regulations, including those addressing lighting	313
■ Plate 5.2	The EU household lamp label	430
■ Figure 5.3	Thresholds applied in the EU household lamp label	318
■ Figure 5.4	The UK Energy Saving Recommended endorsement label	322
■ Figure 5.5	Japan’s Top Runner efficacy requirements for fluorescent lamps	325
■ Plate 5.6	The Japanese energy label	430
■ Plate 5.7	The Korean mandatory energy label	431
■ Plate 5.8	Korea’s Energy Boy certification label	431
■ Plate 5.9	The ENERGY STAR endorsement label	431
■ Figure 5.10	MEPS for incandescent lamps	341
■ Figure 5.11	China’s endorsement label	343
■ Plate 5.12	The Thai energy label	431
■ Figure 5.13	Status of US commercial building code adoption in 2005	347
■ Plate 5.14	Germany’s building Energy Passport and a notional dual-rating building energy certificate	432
■ Figure 6.1	Linear fluorescent lamp ballast sales by type in the United States	391

■ Figure 6.2	Linear fluorescent lamp ballast sales by type in the European Union	392
■ Figure 6.3	Regional share of electric-light consumption in 2030 under the Current Policies scenario	395
■ Figure 6.4	Per-capita consumption of electric light in 2030 under the Current Policies scenario	395
■ Figure 6.5	Global average share of electric-light production by lamp type in 2030 under the Current Policies scenario	396
■ Figure 6.6	Global average share of electric-light production by lamp type and end-use sector in 2030 under the Current Policies scenario	397
■ Figure 6.7	Global lighting electricity consumption by end-use sector in 1995–2030 under the Current Policies scenario	398
■ Figure 6.8	Regional share of stationary-lighting electricity consumption in 2030 under the Current Policies scenario	399
■ Figure 6.9	Average lighting-system efficacy by region in 2030 under the Current Policies scenario	400
■ Figure 6.10	Global lighting electricity consumption in 1995–2030 under the No Policies and Current Policies scenarios	404
■ Figure 6.11	Lighting electricity savings by region in 1990–2030 under the Current Policies scenario compared with the No Policies scenario	405
■ Figure 6.12	Global lighting electricity savings by end-use sector under the Current Policies scenario compared with the No Policies scenario	406
■ Figure 6.13	Global average share of electric-light production by lamp type in 2030 under the LLCC from 2008 scenario	413
■ Figure 6.14	Global average share of electric-light production by lamp type and end-use sector in 2030 under the LLCC from 2008 scenario	414

- Figure 6.15 Global lighting electricity consumption in 1995–2030 under the No Policies, Current Policies and LLCC from 2008 scenarios 417
- Figure 6.16 Regional share of lighting electricity consumption in 2030 under the LLCC from 2008 scenario 418
- Figure 6.17 Lighting electricity savings by region under the LLCC from 2008 scenario compared with the Current Policies scenario 419
- Figure 6.18 Global lighting electricity savings by end-use sector under the LLCC from 2008 scenario compared to the Current Policies scenario . . . 420
- Figure 6.19 Global lighting-cost savings under the LLCC from 2008 and No Policies scenarios compared to the Current Policies scenario . . . 421
- Figure 6.20 World vehicle lighting-related fuel use under four scenarios 425
- Figure 6.21 Relative trends in world light-duty lighting-related fuel use under four scenarios . . 426
- Figure 7.1 Composition of a modern LED 435
- Figure 7.2 Steps to making an LED 438
- Figure 7.3 Reported light output vs. efficacy for Cree WLEDs circa October 2004 440
- Figure 7.4 Recent historic and projected future efficacy improvements for WLEDs circa October 2005 441
- Figure 7.5 LED white-light lamp with built-in heat exchanger 442
- Figure 7.6 Light output over operating life of LEDs 443
- Figure 7.7 LED backlit television screen 449
- Figure 7.8 Solar-powered LEDs used as architectural lighting in bollards 451
- Figure 7.9 Common illuminated exit signs 454
- Figure 7.10 LED street-light projects 458

- Figure 7.11 The New York 2004 LED street-light competition winner 459
- Figure 7.12 Projected US primary energy savings in 2020 for SSL 463
- Figure 7.13 Handheld solar-PV-powered WLED lighting system 467
- Figure 7.14 Cost of fuel-based lighting and solar-PV-powered LED lighting 468
- Figure 7.15 Effect of improving WLED efficiency on PV and battery sizing and overall system cost 470

BOXES

- Box 3.1 A brief history of lamps 108
- Box 3.2 The economics of CFLs compared to incandescent lamps 121
- Box 3.3 Case study: High-wattage ceramic metal halide lamps 129
- Box 3.4 Electronic HID ballasts save money in four ways 140
- Box 3.5 Case study: Energy savings from a new detector in Sweden 145
- Box 3.6 Case study: Integrated lighting system for US post offices 145
- Box 3.7 Energy-savings potential for occupancy sensors 149
- Box 3.8 National Center for Atmospheric Research (NCAR) 150
- Box 3.9 General performance criteria for luminaires .. 152
- Box 3.10 Energy-efficient torchières 159
- Box 3.11 Case study: Coca-Cola Amatil (CCA) in Australia 164
- Box 4.1 Case study: The US Sub CFL Programme ... 207

■ Box 4.2	Mandatory use of low beams during daytime for security reasons	247
■ Box 4.3	Daytime use of dipped headlights vs. daytime running lights	248
■ Box 4.4	Subsidies: a disincentive to invest in efficient lighting	291
■ Box 7.1	Solid-state lighting performance milestones . . .	437
■ Box 7.2	Case study: LEDs in traffic lights in Stockholm	453
■ Box 7.3	The Hella LED headlamp	456